
STONE SYMPHONY

MATERIAL GUIDE

Dekton

Ultra-compact architectural surface

Cosentino's ultra-compact surface for interior and exterior architecture.

Pietra - Onirika - Kraftizen - Stonika - SilverKoast and more.



01 — BRAND & MATERIAL

Brand & material

Dekton® is Cosentino's ultra-compact surface for demanding interior and exterior architecture. Its current portfolio combines natural-stone, mineral, metallic, craft and wood-inspired collections. It is materially different from quartz and porcelain, with very low porosity and strong resistance to abrasion, scratching, stains, heat/fire and UV.



Why Dekton

- **A distinct material** — materially different from quartz and porcelain; use Dekton-specific tooling and installation guidance.
- **Broad global range** — the global collection is larger than the seven headline collections; ask us for the full colour range.
- **2026 launches** — new 2026 designs may be launch- and availability-dependent by market.

Best-fit applications

- Kitchen worktops and islands
- Bathroom worktops and wet areas
- Interior and exterior cladding
- High-traffic flooring
- Residential and commercial façades
- Furniture and architectural elements

02 — PRODUCT PORTFOLIO

Product portfolio

Organised by the manufacturer's current collection structure. Product names are retained as published; availability can change by country, distributor and production batch.

Headline collections

Pietra Edition · Pietra Kode · SilverKoast · Onirika · Kraftizen · Stonika · Liquid

Pietra Edition

Ava · Polar · Adia · Nebu · Trevi · Sandik

Pietra Kode

Sabbia · Grigio · Marmorio · Dakar · Nebbia · Ceppo · Avorio · Grafite

SilverKoast

Salina · Marina · Malibu

Onirika

Awake · Somnia · Trance · Neural · Lucid · Morpheus · Limbo

Kraftizen

Argentium · Umber · Albarium · Nacre

Stonika / established

Khalo · Helena · Taga · Arga · Bergen · Kovik · Korso · Natura

2026 direction

Amazonik — Kedar · Amazonik — Zira · Nara · Previewed: Artik and NÖMAK

03 — SPECIFICATION & APPLICATION

Specification & application

Format	3200 × 1440 mm current slab format
Thickness	8, 12, 20 and 30 mm; Dekton Slim 4 mm for selected cladding/furniture
Performance	Very low porosity, plus abrasion, scratch/impact, stain, heat/fire and UV resistance
Applications	Kitchen worktops, façades, cladding, flooring and furniture

Check the selected colour's finish, thickness and availability. Use Dekton-specific fabrication and installation instructions. For exterior use, confirm the selected colour and local installation system. Research snapshot, August 2026.

Stone Symphony s. r. o. — Ivanská cesta 32 B, 821 04 Bratislava · +421 944 526 066 · office@stonesymphony.eu · www.stonesymphony.eu